

2010

Breeding diet for rabbits

The 2010 formula is a cereal- (soy, wheat, corn) and alfalfa-based fixed formula which is free of fish/animal meal and deficient in nitrosamines. This breeding diet was designed as complete feedingstuff for breeding adult rabbits and young rabbits up to an age of 10 weeks. Addition of hay is recommended.

Available as

2013 - 4mm pellets

Product variations

The 2010 formula is optionally also available in one or a combination of the following variants.

Variant Fortified

autoclavable, increased vitamin content, coated on request

Variant Irradiated

irradiated with 5 to 50kGy

The contents may vary for these variants.

Metabolized energy

| Content | | Value | unit |
|----------------|--|-------------|---------|
| Fat | | 456 (16%) | kcal/kg |
| Protein | | 915 (32%) | kcal/kg |
| Carbonhydrates | | 1,531 (52%) | kcal/kg |

crude nutrients and moisture

| Content | | Value | unit |
|--------------------------|--|-----------------|-------|
| Moisture | | 115,011 (11.5%) | mg/kg |
| Crude Ash | | 80,984 (8.1%) | mg/kg |
| Crude Fibre | | 130,082 (13.0%) | mg/kg |
| Crude Fat | | 50,710 (5.1%) | mg/kg |
| Crude Protein | | 228,868 (22.9%) | mg/kg |
| Nitrogenfree extractives | | 394,345 (39.4%) | mg/kg |

Carbonhydrates

| Content | Value | unit |
|-----------------|---------|-------|
| Monosaccharides | 0 | mg/kg |
| Disaccharides | 57,134 | mg/kg |
| Polysaccharides | 203,631 | mg/kg |

Minerals

| Content | Value | unit |
|------------|--------|-------|
| Calcium | 10,510 | mg/kg |
| Potassium | 14,208 | mg/kg |
| Magnesium | 2,026 | mg/kg |
| Sodium | 2,568 | mg/kg |
| Phosphorus | 5,019 | mg/kg |

Trace elements

| Content | Value | unit |
|------------|----------|-------|
| Aluminium | 404.22 | mg/kg |
| Chlorine | 4,624.80 | mg/kg |
| Iron | 214.20 | mg/kg |
| Flourine | 3.40 | mg/kg |
| Iodine | 1.34 | mg/kg |
| Cobalt | 0.35 | mg/kg |
| Copper | 14.71 | mg/kg |
| Manganese | 64.93 | mg/kg |
| Molybdenum | 1.40 | mg/kg |
| Sulfur | 2,155.50 | mg/kg |
| Selenium | 0.28 | mg/kg |
| Zinc | 63.75 | mg/kg |

Added vitamins

| Content | Standard | Fortified | unit |
|------------------|----------|-----------|-------|
| Vitamin A | 15,000 | 26,250 | IU/kg |
| Vitamin D3 | 600 | 1,050 | IU/kg |
| Vitamin E | 77 | 134 | mg/kg |
| Vitamin K3 | 3 | 5 | mg/kg |
| Vitamin B1 | 18 | 32 | mg/kg |
| Vitamin B2 | 12 | 21 | mg/kg |
| Vitamin B6 | 9 | 16 | mg/kg |
| Vitamin B12 | 24 | 42 | µg/kg |
| Nicotinic acid | 36 | 63 | mg/kg |
| Pantothenic acid | 21 | 37 | mg/kg |
| Folic acid | 4 | 5 | mg/kg |
| Biotin | 415 | 460 | µg/kg |
| Choline chloride | 1,048 | 1,498 | mg/kg |
| Vitamin C | 36 | 63 | mg/kg |

Amino acids

| Content | Value | unit |
|---------------|--------|-------|
| Alanine | 10,160 | mg/kg |
| Arginine | 14,903 | mg/kg |
| Aspartic acid | 23,228 | mg/kg |
| Cystine | 2,653 | mg/kg |
| Glutamic acid | 37,741 | mg/kg |
| Glycine | 9,586 | mg/kg |
| Histidine | 5,225 | mg/kg |
| Isoleucine | 9,737 | mg/kg |
| Leucine | 16,348 | mg/kg |
| Lysine | 11,848 | mg/kg |
| Methionine | 2,960 | mg/kg |
| Phenylalanine | 10,443 | mg/kg |
| Proline | 11,883 | mg/kg |
| Serine | 10,929 | mg/kg |
| Threonine | 8,526 | mg/kg |
| Tryptophan | 3,104 | mg/kg |
| Tyrosine | 7,430 | mg/kg |
| Valine | 10,776 | mg/kg |

Fatty acid

| Content | Value | unit |
|-----------------------------|--------|-------|
| Arachidic acid C-20:0 | 176 | mg/kg |
| Eicosanoic acid C-20:1 | 220 | mg/kg |
| Alpha-Linolenic acid C-18:3 | 2,323 | mg/kg |
| Linolenic acid C-18:2 | 16,905 | mg/kg |
| Palmitic acid C-16:0 | 4,143 | mg/kg |
| Stearic acid C-18:0 | 1,241 | mg/kg |
| Oleic acid C-18:1 | 7,136 | mg/kg |