

## 2020

**Maintenance diet for rabbits**

The 2020 formula is a cereal- (soy, wheat, corn) and alfalfa-based fixed formula which is free of fish/animal meal and deficient in nitrosamines. This maintenance diet was designed as complete feedingstuff for rabbits from an age of 10 weeks. Addition of hay is recommended.

**Available as**

2023 - 4mm pellets

**Product variations**

The 2020 formula is optionally also available in one or a combination of the following variants.

**Variant Fortified**

autoclavable, increased vitamin content, coated on request

**Variant Irradiated**

irradiated with 5 to 50kGy

*The contents may vary for these variants.*

**Metabolized energy**

| <b>Content</b> |  | <b>Value</b> | <b>unit</b> |
|----------------|--|--------------|-------------|
| Fat            |  | 406 (14%)    | kcal/kg     |
| Protein        |  | 704 (25%)    | kcal/kg     |
| Carbonhydrates |  | 1,717 (61%)  | kcal/kg     |

**crude nutrients and moisture**

| <b>Content</b>           |  | <b>Value</b>    | <b>unit</b> |
|--------------------------|--|-----------------|-------------|
| Moisture                 |  | 116,608 (11.7%) | mg/kg       |
| Crude Ash                |  | 75,589 (7.6%)   | mg/kg       |
| Crude Fibre              |  | 145,958 (14.6%) | mg/kg       |
| Crude Fat                |  | 45,143 (4.5%)   | mg/kg       |
| Crude Protein            |  | 175,883 (17.6%) | mg/kg       |
| Nitrogenfree extractives |  | 440,818 (44%)   | mg/kg       |

## Carbonhydrates

| Content         | Value   | unit  |
|-----------------|---------|-------|
| Monosaccharides | 0       | mg/kg |
| Disaccharides   | 45,410  | mg/kg |
| Polysaccharides | 275,696 | mg/kg |

## Minerals

| Content    | Value  | unit  |
|------------|--------|-------|
| Calcium    | 10,301 | mg/kg |
| Potassium  | 11,586 | mg/kg |
| Magnesium  | 2,028  | mg/kg |
| Sodium     | 2,526  | mg/kg |
| Phosphorus | 5,002  | mg/kg |

## Trace elements

| Content    | Value    | unit  |
|------------|----------|-------|
| Aluminium  | 382.90   | mg/kg |
| Chlorine   | 4,684.15 | mg/kg |
| Iron       | 206.08   | mg/kg |
| Flourine   | 3.62     | mg/kg |
| Iodine     | 1.47     | mg/kg |
| Cobalt     | 0.33     | mg/kg |
| Copper     | 12.85    | mg/kg |
| Manganese  | 78.09    | mg/kg |
| Molybdenum | 0.76     | mg/kg |
| Sulfur     | 2,330.80 | mg/kg |
| Selenium   | 0.26     | mg/kg |
| Zinc       | 70.35    | mg/kg |

## Added vitamins

| Content          | Standard | Fortified | unit  |
|------------------|----------|-----------|-------|
| Vitamin A        | 15,000   | 26,250    | IU/kg |
| Vitamin D3       | 600      | 1,050     | IU/kg |
| Vitamin E        | 76       | 133       | mg/kg |
| Vitamin K3       | 3        | 5         | mg/kg |
| Vitamin B1       | 18       | 32        | mg/kg |
| Vitamin B2       | 12       | 21        | mg/kg |
| Vitamin B6       | 9        | 16        | mg/kg |
| Vitamin B12      | 24       | 42        | µg/kg |
| Nicotinic acid   | 36       | 63        | mg/kg |
| Pantothenic acid | 21       | 37        | mg/kg |
| Folic acid       | 4        | 5         | mg/kg |
| Biotin           | 380      | 425       | µg/kg |
| Choline chloride | 1,032    | 1,482     | mg/kg |
| Vitamin C        | 36       | 63        | mg/kg |

## Amino acids

| Content       | Value  | unit  |
|---------------|--------|-------|
| Alanine       | 7,422  | mg/kg |
| Arginine      | 9,563  | mg/kg |
| Aspartic acid | 14,109 | mg/kg |
| Cystine       | 2,379  | mg/kg |
| Glutamic acid | 28,808 | mg/kg |
| Glycine       | 7,077  | mg/kg |
| Histidine     | 3,548  | mg/kg |
| Isoleucine    | 6,423  | mg/kg |
| Leucine       | 11,075 | mg/kg |
| Lysine        | 7,203  | mg/kg |
| Methionine    | 2,241  | mg/kg |
| Phenylalanine | 7,046  | mg/kg |
| Proline       | 9,455  | mg/kg |
| Serine        | 7,462  | mg/kg |
| Threonine     | 5,815  | mg/kg |
| Tryptophan    | 2,156  | mg/kg |
| Tyrosine      | 5,015  | mg/kg |
| Valine        | 7,574  | mg/kg |

## Fatty acid

| Content                     | Value  | unit  |
|-----------------------------|--------|-------|
| Arachidic acid C-20:0       | 100    | mg/kg |
| Eicosanoic acid C-20:1      | 125    | mg/kg |
| Alpha-Linolenic acid C-18:3 | 1,992  | mg/kg |
| Linolenic acid C-18:2       | 14,525 | mg/kg |
| Palmitic acid C-16:0        | 3,529  | mg/kg |
| Stearic acid C-18:0         | 1,067  | mg/kg |
| Oleic acid C-18:1           | 6,134  | mg/kg |