

C 1036

sodium chloride deficient diet

Metabolized energy

| Content | | Value | unit |
|----------------|--|-------------|---------|
| Fat | | 458 (13%) | kcal/kg |
| Protein | | 691 (20%) | kcal/kg |
| Carbonhydrates | | 2,390 (67%) | kcal/kg |

crude nutrients and moisture

| Content | | Value | unit |
|--------------------------|--|-----------------|-------|
| Moisture | | 83,865 (8.4%) | mg/kg |
| Crude Ash | | 48,961 (4.9%) | mg/kg |
| Crude Fibre | | 30,997 (3.1%) | mg/kg |
| Crude Fat | | 50,839 (5.1%) | mg/kg |
| Crude Protein | | 172,695 (17.3%) | mg/kg |
| Nitrogenfree extractives | | 612,644 (61.2%) | mg/kg |

Carbonhydrates

| Content | | Value | unit |
|-----------------|--|---------|-------|
| Monosaccharides | | 103 | mg/kg |
| Disaccharides | | 98,105 | mg/kg |
| Polysaccharides | | 479,687 | mg/kg |

Minerals

| Content | | Value | unit |
|------------|--|-------|-------|
| Calcium | | 9,235 | mg/kg |
| Potassium | | 7,089 | mg/kg |
| Magnesium | | 579 | mg/kg |
| Sodium | | 130 | mg/kg |
| Phosphorus | | 7,510 | mg/kg |

Trace elements

| Content | Value | unit |
|------------|----------|-------|
| Aluminium | 3.74 | mg/kg |
| Chlorine | 114.00 | mg/kg |
| Iron | 178.43 | mg/kg |
| Flourine | 8.60 | mg/kg |
| Iodine | 0.66 | mg/kg |
| Cobalt | 0.52 | mg/kg |
| Copper | 5.52 | mg/kg |
| Manganese | 99.93 | mg/kg |
| Molybdenum | 0.50 | mg/kg |
| Sulfur | 2,668.42 | mg/kg |
| Selenium | 0.61 | mg/kg |
| Zinc | 28.60 | mg/kg |

Added vitamins

| Content | Value | unit |
|------------------|--------|-------|
| Vitamin A | 15,000 | IU/kg |
| Vitamin D3 | 500 | IU/kg |
| Vitamin E | 180 | mg/kg |
| Vitamin K3 | 10 | mg/kg |
| Vitamin B1 | 20 | mg/kg |
| Vitamin B2 | 20 | mg/kg |
| Vitamin B6 | 15 | mg/kg |
| Vitamin B12 | 41 | µg/kg |
| Nicotinic acid | 50 | mg/kg |
| Pantothenic acid | 50 | mg/kg |
| Folic acid | 10 | mg/kg |
| Biotin | 201 | µg/kg |
| Choline chloride | 1,012 | mg/kg |
| Vitamin C | 20 | mg/kg |

Amino acids

| Content | Value | unit |
|---------------|--------|-------|
| Alanine | 2,532 | mg/kg |
| Arginine | 9,831 | mg/kg |
| Aspartic acid | 3,586 | mg/kg |
| Cystine | 3,197 | mg/kg |
| Glutamic acid | 23,683 | mg/kg |
| Glycine | 3,138 | mg/kg |
| Histidine | 5,277 | mg/kg |
| Isoleucine | 7,225 | mg/kg |
| Leucine | 14,768 | mg/kg |
| Lysine | 17,402 | mg/kg |
| Methionine | 7,224 | mg/kg |
| Phenylalanine | 7,174 | mg/kg |
| Proline | 12,767 | mg/kg |
| Serine | 5,270 | mg/kg |
| Threonine | 7,156 | mg/kg |
| Tryptophan | 1,977 | mg/kg |
| Tyrosine | 9,287 | mg/kg |
| Valine | 3,298 | mg/kg |

Fatty acid

| Content | Value | unit |
|-----------------------------|--------|-------|
| Arachidic acid C-20:0 | 50 | mg/kg |
| Eicosanoic acid C-20:1 | 150 | mg/kg |
| Alpha-Linolenic acid C-18:3 | 150 | mg/kg |
| Linolenic acid C-18:2 | 28,500 | mg/kg |
| Palmitic acid C-16:0 | 2,500 | mg/kg |
| Stearic acid C-18:0 | 1,350 | mg/kg |
| Oleic acid C-18:1 | 13,500 | mg/kg |