

C 1051

sodium rich diet

Metabolized energy

| Content | | Value | unit |
|----------------|--|-------------|---------|
| Fat | | 457 (14%) | kcal/kg |
| Protein | | 689 (21%) | kcal/kg |
| Carbonhydrates | | 2,073 (65%) | kcal/kg |

crude nutrients and moisture

| Content | | Value | unit |
|--------------------------|--|-----------------|-------|
| Moisture | | 76,540 (7.7%) | mg/kg |
| Crude Ash | | 132,766 (13.3%) | mg/kg |
| Crude Fibre | | 30,730 (3.1%) | mg/kg |
| Crude Fat | | 50,750 (5.1%) | mg/kg |
| Crude Protein | | 172,250 (17.2%) | mg/kg |
| Nitrogenfree extractives | | 536,964 (53.6%) | mg/kg |

Carbonhydrates

| Content | | Value | unit |
|-----------------|--|---------|-------|
| Monosaccharides | | 0 | mg/kg |
| Disaccharides | | 98,105 | mg/kg |
| Polysaccharides | | 400,527 | mg/kg |

Minerals

| Content | | Value | unit |
|------------|--|--------|-------|
| Calcium | | 9,251 | mg/kg |
| Potassium | | 7,085 | mg/kg |
| Magnesium | | 681 | mg/kg |
| Sodium | | 33,754 | mg/kg |
| Phosphorus | | 7,505 | mg/kg |

Trace elements

| Content | Value | unit |
|------------|-----------|-------|
| Aluminium | 3.39 | mg/kg |
| Chlorine | 51,950.00 | mg/kg |
| Iron | 178.47 | mg/kg |
| Flourine | 4.17 | mg/kg |
| Iodine | 1.31 | mg/kg |
| Cobalt | 0.14 | mg/kg |
| Copper | 5.72 | mg/kg |
| Manganese | 100.85 | mg/kg |
| Molybdenum | 0.20 | mg/kg |
| Sulfur | 2,779.54 | mg/kg |
| Selenium | 0.33 | mg/kg |
| Zinc | 29.19 | mg/kg |

Added vitamins

| Content | Value | unit |
|------------------|--------|-------|
| Vitamin A | 15,000 | IU/kg |
| Vitamin D3 | 500 | IU/kg |
| Vitamin E | 180 | mg/kg |
| Vitamin K3 | 10 | mg/kg |
| Vitamin B1 | 20 | mg/kg |
| Vitamin B2 | 20 | mg/kg |
| Vitamin B6 | 15 | mg/kg |
| Vitamin B12 | 41 | µg/kg |
| Nicotinic acid | 50 | mg/kg |
| Pantothenic acid | 50 | mg/kg |
| Folic acid | 10 | mg/kg |
| Biotin | 201 | µg/kg |
| Choline chloride | 1,012 | mg/kg |
| Vitamin C | 20 | mg/kg |

Amino acids

| Content | Value | unit |
|---------------|--------|-------|
| Alanine | 2,496 | mg/kg |
| Arginine | 9,809 | mg/kg |
| Aspartic acid | 3,556 | mg/kg |
| Cystine | 3,188 | mg/kg |
| Glutamic acid | 23,599 | mg/kg |
| Glycine | 3,120 | mg/kg |
| Histidine | 5,264 | mg/kg |
| Isoleucine | 7,207 | mg/kg |
| Leucine | 14,714 | mg/kg |
| Lysine | 17,389 | mg/kg |
| Methionine | 7,215 | mg/kg |
| Phenylalanine | 7,152 | mg/kg |
| Proline | 12,726 | mg/kg |
| Serine | 5,247 | mg/kg |
| Threonine | 7,139 | mg/kg |
| Tryptophan | 1,974 | mg/kg |
| Tyrosine | 9,268 | mg/kg |
| Valine | 3,277 | mg/kg |

Fatty acid

| Content | Value | unit |
|-----------------------------|--------|-------|
| Arachidic acid C-20:0 | 50 | mg/kg |
| Eicosanoic acid C-20:1 | 150 | mg/kg |
| Alpha-Linolenic acid C-18:3 | 150 | mg/kg |
| Linolenic acid C-18:2 | 28,500 | mg/kg |
| Palmitic acid C-16:0 | 2,500 | mg/kg |
| Stearic acid C-18:0 | 1,350 | mg/kg |
| Oleic acid C-18:1 | 13,500 | mg/kg |