

## C 1028

## biotin deficient diet

## Metabolized energy

Content		Value	unit
Fat		450 (12%)	kcal/kg
Protein		712 (19%)	kcal/kg
Carbonhydrates		2,668 (69%)	kcal/kg

## crude nutrients and moisture

Content		Value	unit
Moisture		39,347 (3.9%)	mg/kg
Crude Ash		59,107 (5.9%)	mg/kg
Crude Fibre		0	
Crude Fat		50,000 (5.0%)	mg/kg
Crude Protein		177,940 (17.8%)	mg/kg
Nitrogenfree extractives		673,606 (67.4%)	mg/kg

## Carbonhydrates

Content		Value	unit
Monosaccharides		0	mg/kg
Disaccharides		656,429	mg/kg
Polysaccharides		0	mg/kg

## Minerals

Content		Value	unit
Calcium		10,026	mg/kg
Potassium		8,207	mg/kg
Magnesium		744	mg/kg
Sodium		5,002	mg/kg
Phosphorus		5,984	mg/kg

## Trace elements

Content	Value	unit
Aluminium	1.34	mg/kg
Chlorine	3,630.00	mg/kg
Iron	177.29	mg/kg
Flourine	4.17	mg/kg
Iodine	0.45	mg/kg
Cobalt	0.13	mg/kg
Copper	5.38	mg/kg
Manganese	100.72	mg/kg
Molybdenum	0.20	mg/kg
Sulfur	3,527.60	mg/kg
Selenium	0.26	mg/kg
Zinc	25.10	mg/kg

## Added vitamins

Content	Value	unit
Vitamin A	15,000	IU/kg
Vitamin D3	500	IU/kg
Vitamin E	180	mg/kg
Vitamin K3	10	mg/kg
Vitamin B1	20	mg/kg
Vitamin B2	20	mg/kg
Vitamin B6	15	mg/kg
Vitamin B12	30	µg/kg
Nicotinic acid	50	mg/kg
Pantothenic acid	50	mg/kg
Folic acid	10	mg/kg
Choline chloride	1,000	mg/kg
Vitamin C	21	mg/kg

## Amino acids

Content	Value	unit
Alanine	10,381	mg/kg
Arginine	11,768	mg/kg
Aspartic acid	18,421	mg/kg
Cystine	4,192	mg/kg
Glutamic acid	25,037	mg/kg
Glycine	6,619	mg/kg
Histidine	6,323	mg/kg
Isoleucine	9,101	mg/kg
Leucine	17,013	mg/kg
Lysine	15,147	mg/kg
Methionine	7,680	mg/kg
Phenylalanine	12,961	mg/kg
Proline	8,493	mg/kg
Serine	12,425	mg/kg
Threonine	8,554	mg/kg
Tryptophan	2,129	mg/kg
Tyrosine	7,693	mg/kg
Valine	12,167	mg/kg

## Fatty acid

Content	Value	unit
Arachidic acid C-20:0	50	mg/kg
Eicosanoic acid C-20:1	150	mg/kg
Alpha-Linolenic acid C-18:3	150	mg/kg
Linolenic acid C-18:2	28,500	mg/kg
Palmitic acid C-16:0	2,500	mg/kg
Stearic acid C-18:0	1,350	mg/kg
Oleic acid C-18:1	13,500	mg/kg